

SCV GRAPHITE / FRS SPINNING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S70LF-G	Trout / Panfish / Walleye	ES70LF	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.3	HKS-2	\$170
5S70LF2-G	Trout / Panfish / Walleye	ES70LF2	7'	L	FAST	2	4-8	1/16-1/4	0.365	4.0	1.4	HKS-2	\$190
5S60MLF-G	Bass / Walleye	ES60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.425	4.0	1.1	HKS-3	\$155
5S66MLF-G	Bass / Walleye	ES66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.450	3.5	1.3	HKS-4	\$165
5S66MLF2-G	Bass / Walleye	ES66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.4	HKS-4	\$185
*5S610MLXF-G	Bass / Walleye	ES610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.450	4.0	1.5	HKS-5	\$185
5S70MLF-G	Bass / Walleye	ES70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$175
5S70MLF2-G	Bass / Walleye	ES70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.6	HKS-5	\$195
5S76MLXF-G	Bass / Walleye	ES76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.480	3.5	1.6	HKS-5	\$190
5S76MLXF2-G	Walleye	ES76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.485	4.0	1.6	HKS-5	\$210
5S60MF-G	Bass / Walleye	ES60MF	6'	M	FAST	1	6-12	3/16-5/8	0.425	4.5	1.2	HKS-3	\$160
5S63MXF-G	Bass / Walleye	ES63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.450	4.0	1.4	HKS-3	\$165
5S66MF-G	Bass / Walleye	ES66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.4	HKS-4	\$170
5S66MF2-G	Bass / Walleye	ES66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.450	4.5	1.5	HKS-4	\$190
5S68MXF-G	Bass / Walleye	ES / EC68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.460	4.5	1.6	HKS-4 / HKC-3	\$180
*5S610MXF-G	Bass - Shaky Head	ES610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.465	4.5	1.6	HKS-5	\$190
5S70MF-G	Bass / Walleye	ES70MF	7'	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.6	HKS-5	\$180
5S70MF2-G	Bass / Walleye	ES70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.465	4.5	1.7	HKS-5	\$200
5S76MF-G	Bass / Walleye	ES76MF	7'6"	M	FAST	1	6-12	3/16-5/8	0.480	4.5	1.8	HKS-5	\$190
5S76MF2-G	Bass / Walleye	ES76MF2	7'6"	M	FAST	2	6-12	3/16-5/8	0.470	4.0	1.8	HKS-5	\$210
5S70MHF-G	Bass / Pike	ES70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	2.1	HKS-5	\$190
5S70MHF2-G	Bass / Pike	ES70MHF2	7'	MH	FAST	2	8-14	3/8-3/4	0.470	5.0	1.9	HKS-5	\$210

* New for 2016

SCV GRAPHITE / FRS SPINNING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S70LF-B	Trout / Panfish / Walleye	LXS70LF	7'	L	FAST	1	4-8	1/16-1/4	0.380	4.0	1.3	HKS-2	\$170
5S70LF2-B	Trout / Panfish / Walleye	LXS70LF2	7'	L	FAST	2	4-8	1/16-1/4	0.360	4.0	1.3	HKS-2	\$190
5S610MLXF-B	Bass / Walleye	LXS610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.420	4.0	1.7	HKS-4	\$185
5S70MLF-B	Bass / Walleye	LXS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.450	4.0	1.4	HKS-5	\$175
5S70MLF2-B	Bass / Walleye	LXS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.445	4.0	1.6	HKS-5	\$195
5S76MLXF-B	Bass / Walleye	LXS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.465	3.5	1.6	HKS-5	\$190
5S76MLXF2-B	Bass / Walleye	LXS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.450	4.0	1.7	HKS-5	\$210
5S59MXF-B	Bass / Walleye	LXS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.400	4.0	1.1	HKS-3	\$150
5S63MXF-B	Bass / Walleye	LXS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.420	4.0	1.2	HKS-3	\$165
5S68MXF-B	Bass / Walleye	LXS / LXC68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.435	4.5	1.4	HKS-4	\$180
5S610MXF-B	Bass - Shaky Head	LXS610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.455	4.5	1.9	HKS-4	\$190
5S70MF-B	Bass / Walleye	LXS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.5	HKS-5	\$180
5S70MF2-B	Bass / Walleye	LXS70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.450	5.0	1.6	HKS-5	\$200
5S76MF-B	Bass / Walleye	LXS76MF	7'6"	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.8	HKS-5	\$190
5S76MF2-B	Bass / Walleye	LXS76MF2	7'6"	M	FAST	2	6-12	3/16-5/8	0.465	4.0	1.8	HKS-5	\$210
5S70MHF-B	Bass / Pike	LXS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.500	5.5	2.0	HKS-5	\$190
5S70MHF2-B	Bass / Pike	LXS70MHF2	7'	MH	FAST	2	8-14	3/8-3/4	0.465	5.0	1.9	HKS-5	\$210

SCV GRAPHITE / FRS CASTING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
*5C68MF-G	Bass / Walleye	EC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.450	5.0	1.5	HKC-3	\$190
*5C610MXF-G	Bass - Shaky Head	EC610MXF	6'10"	M	X-FAST	1	10-14	1/8-5/16	0.465	4.5	2.0	HKC-3	\$190
5C70MF-G	Bass / Walleye	EC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.470	5.0	2.0	HKC-3	\$195
*5C68MHF-G	Bass / Pike	EC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.500	6.0	2.0	HKC-3	\$200
5C70MHF-G	Bass / Pike	EC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.530	6.0	2.4	HKC-3	\$205
*5C71MHXF-G	Bass / Pike	EC71MHXF	7'1"	MH	X-FAST	1	12-20	1/4-3/4	0.530	5.5	2.1	HKC-3	\$205
*5C76MHMF-G	Bass	EC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.535	7.0	2.9	HKC-4 / HKC-5	\$220
*5C74HF-G	Bass / Pike	EC74HF	7'4"	H	FAST	1	14-25	3/8-1 1/2	0.560	6.5	2.6	HKC-4 / HKC-5	\$220
*5C711HMF-G	Bass	EC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.600	6.5	3.4	HKC-4 / HKC-5	\$260

* New for 2016



SCV GRAPHITE / FRS CASTING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5C68MF-B	Bass / Walleye	LXC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.435	5.0	1.4	HKC-3	\$190
5C610MXF-B	Bass - Shaky Head	LXC610MXF	6'10"	M	X-FAST	1	10-14	1/8-5/16	0.475	4.5	2.3	HKC-3	\$190
5C70MF-B	Bass / Walleye	LXC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.445	4.5	1.5	HKC-3	\$195
5C70MF2-B	Bass / Walleye	LXC70MF2	7'	M	FAST	2	10-17	1/4-5/8	0.450	5.0	1.6	HKC-3	\$215
5C72MM-B	Bass / Walleye	LXC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.5	HKC-3	\$180
5C68MHF-B	Bass / Walleye	LXC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.490	5.5	1.9	HKC-3	\$200
5C70MHF-B	Bass / Pike	LXC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.500	5.5	2.0	HKC-3	\$205
5C70MHF2-B	Bass / Pike	LXC70MHF2	7'	MH	FAST	2	12-20	3/8-1	0.465	5.0	1.9	HKC-3	\$225
5C71MHXF-B	Bass / Pike	LXC71MHXF	7'1"	MH	X-FAST	1	12-20	1/4-3/4	0.500	5.5	2.0	HKC-3	\$205
5C76MHMF-B	Bass	LXC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.525	6.5	2.8	HKC-4 / HKC-5	\$220
5C78MHM-B	Bass	LXC78MHM	7'8"	MH	MODERATE	1	10-20	3/8-1	0.470	5.0	2.3	HKC-4 / HKC-5	\$200
5C74HF-B	Bass / Pike	LXC74HF	7'4"	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.6	HKC-4 / HKC-5	\$220
5C711HMF-B	Bass	LXC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.600	6.5	3.4	HKC-4 / HKC-5	\$260

SCV GRAPHITE / FRS MUSKY & SALTWATER BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 5M80MHF-G	Musky - Topwater / Bucktails	LEM80MHF	8'	MH	FAST	1	30-65	3/4-3	0.585	6.5	3.7	HKC-8	\$270
* 5M86MHF-G	Musky - Topwater / Bucktails	LEM86MHF	8'6"	MH	FAST	1	30-65	3/4-3	0.595	6.5	3.8	HKC-8	\$280
* 5M90MHF-G	Musky - Topwater / Bucktails	LEM90MHF	9'	MH	FAST	1	30-65	3/4-3	0.620	6.5	4.6	HKC-8	\$290
* 5M86HF-G	Musky - Large Bucktails	LEM86HF	8'6"	H	FAST	1	40-80	3-8	0.645	7.0	5.2	HKC-8	\$290
* 5M90HF-G	Musky - Large Bucktails / Rubber	LEM90HF	9'	H	FAST	1	40-80	3-8	0.670	7.5	6.1	HKC-8	\$300
* 5M76XHF-G	Musky - Jerkbait	LEM76XHF	7'6"	XH	FAST	1	50-100	4-10	0.670	8.0	4.3	HKC-8	\$270

* New for 2016

SCV GRAPHITE / FRS SALMON & STEELHEAD BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5SC90MLF2-G	Spinning / Casting	ES / EC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.445	4.0	2.4	HKS-6 / HKC-6	\$220
5SC96MLF2-G	Spinning / Casting	ES96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.8	HKS-6 / HKC-6	\$225
5SC86MF2-G	Spinning / Casting	ES86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.470	4.0	2.4	HKS-6 / HKC-6	\$215
5SC90MF2-G	Spinning / Casting	ES / EC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.475	4.0	2.7	HKS-6 / HKC-6	\$225
5SC96MF2-G	Spinning / Casting	ES96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.0	3.0	HKS-6 / HKC-6	\$230
5SC86MHF2-G	Spinning / Casting	ES / EC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.500	4.5	2.6	HKS-6 / HKC-6	\$220
5SC90MHF2-G	Spinning / Casting	ES / EC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.515	4.5	3.0	HKS-6 / HKC-6	\$230
5SC96MHF2-G	Spinning / Casting	ES / EC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.520	4.5	3.5	HKS-6 / HKC-6	\$235
5SC86HF2-G	Spinning / Casting	ES / EC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.545	4.5	2.9	HKS-6 / HKC-6	\$225
5SC90HF2-G	Spinning / Casting	ES / EC90HF2	9'	H	FAST	2	12-25	1/2-2	0.545	4.5	3.1	HKS-6 / HKC-6	\$235
5SC96HF2-G	Spinning / Casting	ES / EC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.555	5.0	3.6	HKS-6 / HKC-6	\$240

SCV GRAPHITE / FRS CASTING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4C610MLXF	Bass - Drop Shot / Finesse	TBC/TBS610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.435	4.0	2.1	HKC-3 / HKS-4	\$160
4C68MF	Bass - Jerkbait	TBC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.445	5.5	1.9	HKC-3	\$155
4C68MXF	Bass - Topwater / Shake-Flick	TBC/TBS/LTWS68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.455	4.0	1.9	HKC-3	\$160
4C610MXF	Bass - Shaky Head	TBC610MXF	6'10"	M	X-FAST	1	10-14	1/8-5/16	0.485	5.0	2.6	HKC-3	\$165
4C71MF	Bass - Plastics	TBC71MF	7'1"	M	FAST	1	10-17	1/4-5/8	0.455	5.0	2.2	HKC-3	\$165
4C72MM	Bass - Small Cranker	TBC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.6	HKC-3	\$140
4C68MHF	Bass - Jig-N-Worm	TBC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.505	5.5	2.4	HKC-3	\$165
4C69MHMF	Bass - Sniper Spinnerbait	TBC69MHMF	6'9"	MH	MOD. FAST	1	10-20	1/4-5/8	0.475	4.5	2.2	HKC-3	\$165
4C70MHMF	Bass - Sweeper Spinnerbait	TBC70MHMF	7'	MH	MOD. FAST	1	12-20	3/8-3/4	0.480	5.0	2.3	HKC-3	\$170
4C70MHM	Walleye - Bounce-N-Troll	LTWC70MHM	7'	MH	MODERATE	1	6-12	1/2-3	0.440	5.0	2.0	HKC-4	\$150
4C71MHF	Bass - Jigs / Baits	TBC71MHF	7'1"	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.7	HKC-3	\$175
4C71MHXF	Bass - Swim Jig Finesse	TBC71MHXF	7'1"	MH	X-FAST	1	12-17	5/16-3/4	0.515	5.0	2.6	HKC-3	\$175
4C73MHF	Bass - Carolina Rig	TBC73MHF	7'3"	MH	FAST	1	12-25	5/8-1 1/4	0.525	5.5	3.0	HKC-4	\$180
4C76MHMF	Bass - Pitchin' / Lite Flippin'	TBC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.555	5.0	3.0	HKC-5	\$185
4C78MHM	Bass - Big Cranker	TBC78MHM	7'8"	MH	MODERATE	1	10-20	3/8-1	0.455	5.0	2.4	HKC-5	\$160
4C74HF	Bass - Slop-N-Frog / Swim Jig	TBC74HF	7'4"	H	FAST	1	14-25	3/8-1 1/2	0.560	6.0	3.0	HKC-4 / HKC-5	\$190
4C79HMF	Bass - Punchin'	TBC79HMF	7'9"	H	MOD. FAST	1	14-30	1/2-2	0.600	5.5	3.0	HKC-4 / HKC-5	\$200
4C710HF	Bass - Swim Bait	TBC710HF	7'10"	H	FAST	1	14-30	1-4	0.615	6.0	3.6	HKC-4 / HKC-5	\$210
4C710HM	Bass - Magnum Cranker	TBC710HM	7'10"	H	MODERATE	1	12-25	1/2-1 3/8	0.520	5.5	2.5	HKC-4 / HKC-5	\$170
4C711HMF	Bass - Flippin'	TBC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.585	6.0	3.3	HKC-4 / HKC-5	\$200
4C73XHF	Bass - Big Jig	TBC73XHF	7'3"	XH	FAST	1	17-30	1-2 1/2	0.600	6.0	3.0	HKC-4 / HKC-5	\$195

SC^{IV} GRAPHITE / FRS SPINNING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4S70LF	Walleye - Finesse	LTWS70LF	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.5	HKS-4	\$140
4S63MLXF	Walleye - Vertical Jig	LTWS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-4	\$140
4S66MLF	Walleye - Jig-N-Rig	LTWS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.440	4.0	1.4	HKS-4	\$140
4S66MLF2	Walleye - Jig-N-Rig	LTWS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.5	HKS-4	\$155
4S68MLF	Bass - Split Shot	TBS68MLF	6'8"	ML	FAST	1	4-10	1/8-3/8	0.445	4.0	1.5	HKS-5	\$140
4S70MLF	Walleye - Riggini'	LTWS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$150
4S70MLF2	Walleye - Riggini'	LTWS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.7	HKS-5	\$165
4S76MLXF	Walleye - Slip-N-Rig	LTWS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.485	4.0	1.9	HKS-5	\$155
4S76MLXF2	Walleye - Slip-N-Rig	LTWS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.455	4.0	2.0	HKS-5	\$170
4S80MLF2	Walleye - Drift-N-Float	LTWS80MLF2	8'	ML	FAST	2	4-10	1/8-3/8	0.420	4.5	1.8	HKS-5	\$175
4S59MXF	Walleye - Classic Jig	LTWS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.415	4.0	1.2	HKS-4	\$130
4S51OMXF	Bass - Skippin'	TBS51OMXF	5'10"	M	X-FAST	1	8-12	3/16-5/8	0.420	4.0	1.4	HKS-4	\$130
4S63MXF	Walleye - Vertical Jig	LTWS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.435	4.5	1.4	HKS-4	\$140
4S61OMXF	Bass - Shaky Head	TBS61OMXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.475	4.5	2.3	HKS-5	\$160
4S71MF	Bass - Plastics	TBS71MF	7'1"	M	FAST	1	6-12	3/16-5/8	0.455	5.5	2.1	HKS-5	\$160
4S71MHF	Bass - Power Spin	TBS71MHF	7'1"	MH	FAST	1	8-14	3/8-3/4	0.515	5.5	2.6	HKS-6	\$170

SC^{IV} GRAPHITE / FRS MUSKY & SALTWATER BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4M73MHF	Musky - Small Baits	LTMU / TMU73MHF	7'3"	MH	FAST	1	30-65	3/4-3	0.595	6.5	3.5	HKC-7	\$210
4M80MHF	Musky - Topwater / Bucktails	LTMU / TMU80MHF	8'	MH	FAST	1	30-65	3/4-3	0.595	7.5	3.9	HKC-8	\$230
4M86MHF	Musky - Topwater / Bucktails	LTMU / TMU86MHF	8'6"	MH	FAST	1	30-65	3/4-3	0.600	7.5	4.2	HKC-8	\$250
4M79MHF	Musky - Large Crankbaits	LTMU / TMU79MHF	7'9"	H	MOD. FAST	1	40-80	2-6	0.590	7.5	3.9	HKC-8	\$230
4M86HF	Musky - Large Bucktails	LTMU / TMU86HF	8'6"	H	FAST	1	40-80	3-8	0.645	7.0	5.7	HKC-8	\$270
4M90HF	Musky - Large Bucktails / Rubber	LTMU / TMU90HF	9'	H	FAST	1	40-80	3-8	0.655	7.5	6.9	HKC-8	\$280
4M69XHF	Musky - Jerkbait	LTMU / TMU69XHF	6'9"	XH	FAST	1	50-100	3-8	0.645	9.0	3.5	HKC-7	\$220
4M76XHF	Musky - Jerkbait	LTMU / TMU76XHF	7'6"	XH	FAST	1	50-100	3-8	0.655	9.0	4.8	HKC-8	\$245
4M86XHF	Musky - Large Wood / Plastic	LTMU / TMU86XHF	8'6"	XH	FAST	1	50-100	6-12	0.670	9.0	5.8	HKC-8	\$280

SC^{III} GRAPHITE SPINNING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S46ULF	Trout / Panfish	AVS46ULF	4'6"	UL	FAST	1	2-6	1/32-3/16	0.275	3.5	0.4	HKS-1	\$65
3S50ULF	Trout / Panfish	AVS50ULF	5'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.6	HKS-1	\$70
3S56ULF2	Trout / Panfish	AVS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.275	4.0	0.7	HKS-1	\$90
3S60ULF	Trout / Panfish	AVS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.325	3.5	0.8	HKS-2	\$75
3S60ULF2	Trout / Panfish	AVS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.0	0.8	HKS-2	\$90
3S66ULF	Trout / Panfish	AVS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.330	3.5	0.9	HKS-2	\$80
3S66ULF2	Trout / Panfish	AVS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.320	4.0	1.0	HKS-2	\$95
3S70ULF	Trout / Panfish	AVS70ULF	7'	UL	FAST	1	2-6	1/32-3/16	0.350	4.0	1.6	HKS-2	\$85
3S70ULM2	Trout / Panfish	AVS70ULM2	7'	UL	MODERATE	2	2-6	1/32-3/16	0.310	4.0	1.5	HKS-2	\$100
3S60LF	Trout / Panfish / Walleye	AVS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$85
3S66LF	Trout / Panfish / Walleye	AVS66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.350	3.5	1.2	HKS-2	\$90
3S66LF2	Trout / Panfish / Walleye	AVS66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.335	4.0	1.1	HKS-2	\$105
3S60MLF	Bass / Walleye	AVS60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.385	4.5	1.3	HKS-3	\$90
3S63MLXF	Bass / Walleye	AVS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$90
3S66MLF	Bass / Walleye	AVS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$95
3S66MLF2	Bass / Walleye	AVS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$110
3S69MLXF	Bass - Drop Shot / Walleye	AVS69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.400	4.0	1.7	HKS-4	\$100
3S70MLF	Bass / Walleye	AVS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.410	4.5	1.8	HKS-4 / HKS-5	\$100
3S70MLF2	Bass / Walleye	AVS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.420	4.0	1.8	HKS-4 / HKS-5	\$115
3S76MLXF	Walleye	AVS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.420	4.0	2.0	HKS-5	\$105
3S76MLXF2	Walleye	AVS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.430	4.0	2.0	HKS-5	\$120
3S80MLM2	Bass - Float-N-Fly	AVS80MLM2	8'	ML	MODERATE	2	4-8	1/16-5/16	0.400	4.5	1.7	HKS-5 / HKS-9	\$115
3S59MXF	Bass / Walleye	AVS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.485	4.5	1.4	HKS-3	\$90
3S60MF	Bass / Walleye	AVS60MF	6'	M	FAST	1	6-12	3/16-5/8	0.465	5.0	1.4	HKS-3	\$90
3S63MXF	Bass / Walleye	AVS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.505	4.5	1.7	HKS-3	\$90
3S66MF	Bass / Walleye	AVS66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.500	5.0	1.6	HKS-4	\$100
3S66MF2	Bass / Walleye	AVS66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.515	4.0	1.8	HKS-4	\$115
3S68MXF	Bass / Walleye	AVS / AVC68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$100
3S70MF	Bass / Walleye	AVS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$105
3S70MF2	Bass / Walleye	AVS70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.530	4.0	1.9	HKS-5	\$120
3S66MHF	Bass / Pike	AVS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	1.9	HKS-4 / HKS-5	\$105
3S66MHF2	Bass / Pike	AVS66MHF2	6'6"	MH	FAST	2	8-14	3/8-3/4	0.525	4.5	2.0	HKS-4 / HKS-5	\$120
3S70MHF	Bass / Pike	AVS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.530	6.0	2.3	HKS-5	\$110

SC^{III} GRAPHITE SPINNING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S60LF-F	Trout / Panfish / Walleye	APS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$85
3S63MLXF-F	Bass / Walleye	APS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$90
3S66MLF-F	Bass / Walleye	APS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$95
3S66MLF2-F	Bass / Walleye	APS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$110
3S68MXF-F	Bass / Walleye	APS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$100
3S70MF-F	Bass / Walleye	APS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$105

SC^{III} GRAPHITE CASTING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C69MLXF	Bass - Drop Shot / Walleye	AVC69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.410	4.0	1.8	HKC-3	\$105
3C60MF	Bass	AVC60MF	6'	M	FAST	1	10-17	1/4-5/8	0.475	5.5	1.6	HKC-2	\$95
3C62MXF	Bass / Walleye	AVC62MXF	6'2"	M	X-FAST	1	8-14	1/4-5/8	0.505	4.5	1.7	HKC-2	\$100
3C66MF	Bass	AVC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$105
3C70MF	Bass	AVC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$110
3C70MM	Bass / Walleye - Crankbait	AVC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.4	HKC-3	\$100
3C66MHF	Bass / Pike / Saltwater	AVC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$110
3C70MHF	Bass / Pike / Saltwater	AVC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.535	6.5	2.6	HKC-3	\$115
3C70MHM	Bass - Crankbait	AVC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.440	5.0	1.9	HKC-3	\$105
3C70MHXF	Bass	AVC70MHXF	7'	MH	X-FAST	1	12-17	5/16-3/4	0.535	5.0	2.6	HKC-3	\$115
3C70HF	Bass / Pike / Saltwater	AVC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.565	7.0	2.7	HKC-4	\$120
3C74HF	Bass / Pike / Saltwater	AXC74HF	7'4"	H	FAST	1	14-25	3/8-1 1/2	0.590	7.0	3.0	HKC-4	\$125

SC^{III} GRAPHITE CASTING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C66MF-F	Bass	APC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$105
3C68MXF-F	Bass	APC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	HKC-3	\$105
3C70MF-F	Bass	APC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$110
3C66MHF-F	Bass / Pike / Saltwater	APC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$110

SC^{III} GRAPHITE SALMON & STEELHEAD BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S106ULS2	Spinning - Noodle	AVS106ULS2	10'6"	UL	SLOW	2	2-6	1/16-1/4	0.415	4.0	2.0	HKS-6 / HKS-7	\$145
3S90LM2	Spinning - Drift	AVS90LM2	9'	L	MODERATE	2	4-8	1/16-3/8	0.440	4.0	2.5	HKS-6 / HKS-7	\$140
3S96LM2	Spinning - Drift	AVS96LM2	9'6"	L	MODERATE	2	4-8	1/16-3/8	0.445	4.0	2.7	HKS-6 / HKS-7	\$145
3S110LM2	Spinning - Drift	AVS110LM2	11'	L	MODERATE	2	4-8	1/16-3/8	0.445	5.0	2.6	HKS-6 / HKS-9	\$150
3SC90MLF2	Spinning / Casting	AVS / AVC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.6	HKS-6 / HKC-6	\$140
3SC96MLF2	Spinning / Casting	AVS / AVC96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.470	4.0	3.0	HKS-6 / HKC-6	\$145
3SC106MLF2	Spinning / Casting	AVS / AVC106MLF2	10'6"	ML	FAST	2	6-10	1/8-5/8	0.475	4.0	3.4	HKS-6 / HKC-6	\$150
3SC86MF2	Spinning / Casting	AVS / AVC86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.5	2.6	HKS-6 / HKC-6	\$140
3SC90MF2	Spinning / Casting	AVS / AVC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.485	4.5	2.9	HKS-6 / HKC-6	\$145
3SC96MF2	Spinning / Casting	AVS / AVC96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.495	4.5	3.2	HKS-6 / HKC-6	\$150
3SC106MF2	Spinning / Casting	AVS / AVC106MF2	10'6"	M	FAST	2	8-12	1/4-3/4	0.515	4.5	4.0	HKS-6 / HKC-6	\$160
3SC86MHF2	Spinning / Casting	AVS / AVC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.515	5.0	2.9	HKS-6 / HKC-6	\$145
3SC90MHF2	Spinning / Casting	AVS / AVC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.525	5.0	3.2	HKS-6 / HKC-6	\$150
3SC96MHF2	Spinning / Casting	AVS / AVC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.535	5.0	3.4	HKS-6 / HKC-6	\$155
3SC86HF2	Spinning / Casting	AVS / AVC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.600	5.5	3.2	HKS-6 / HKC-6	\$150
3SC90HF2	Spinning / Casting	AVS / AVC90HF2	9'	H	FAST	2	12-25	1/2-2	0.550	5.0	3.3	HKS-6 / HKC-6	\$155
3C90HM2	Casting	AVC90HM2	9'	H	MODERATE	2	12-25	1/2-2	0.555	5.0	3.5	HKC-6	\$155
3SC96HF2	Spinning / Casting	AVS / AVC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.570	5.0	3.6	HKS-6 / HKC-6	\$160
3C106HM2	Casting	AVC106HM2	10'6"	H	MODERATE	2	12-25	1/2-2	0.550	5.0	3.9	HKC-6	\$180

SC^{II} GRAPHITE SPINNING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2S46ULM	Trout / Panfish	PS46ULM	4'6"	UL	MODERATE	1	2-6	1/16-1/4	0.265	4.0	0.5	HKS-1	\$55
2S50ULM	Trout / Panfish	PS50ULM	5'	UL	MODERATE	1	2-6	1/16-1/4	0.280	4.0	0.6	HKS-1	\$60
2S56ULF2	Trout / Panfish	PS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.280	4.0	0.7	HKS-1	\$75
2S60ULF	Trout / Panfish	PS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.8	HKS-2	\$65
2S60ULF2	Trout / Panfish	PS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.5	0.9	HKS-2	\$80
2S66ULF	Trout / Panfish	PS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.315	4.0	1.0	HKS-2	\$65
2S66ULF2	Trout / Panfish	PS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.310	4.5	1.1	HKS-2	\$80
2S70ULF2	Trout / Panfish	PS70ULF2	7'	UL	FAST	2	2-6	1/32-3/16	0.320	4.5	1.1	HKS-2	\$85
2S56LF	Trout / Walleye / Panfish	PS56LF	5'6"	L	FAST	1	4-8	1/16-5/16	0.315	4.5	0.8	HKS-1	\$65
2S60LF	Trout / Walleye / Panfish	PS60LF	6'	L	FAST	1	4-8	1/16-5/16	0.330	4.5	1.0	HKS-2	\$70
2S66LF	Trout / Walleye / Panfish	PS66LF	6'6"	L	FAST	1	4-8	1/16-5/16	0.345	4.5	1.2	HKS-2	\$70
2S66LF2	Trout / Walleye / Panfish	PS66LF2	6'6"	L	FAST	2	4-8	1/16-5/16	0.335	4.5	1.3	HKS-2	\$85
2S86LM2	Bass - Float-N-Fly	PS86LM2	8'6"	L	MODERATE	2	4-8	1/16-5/16	0.385	4.5	1.7	HKS-6	\$95
2S60MLF	Bass / Walleye	PS60MLF	6'	ML	FAST	1	4-10	1/8-1/2	0.390	5.0	1.4	HKS-3	\$75
2S60MLF2	Bass / Walleye	PS60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.445	4.5	1.7	HKS-3	\$90
2S66MLF	Bass / Walleye	PS66MLF	6'6"	ML	FAST	1	4-10	1/8-1/2	0.395	4.5	1.6	HKS-4	\$75
2S66MLF2	Bass / Walleye	PS66MLF2	6'6"	ML	FAST	2	4-10	1/8-1/2	0.410	4.5	1.5	HKS-4	\$90
2S70MLF	Bass / Walleye	PS70MLF	7'	ML	FAST	1	4-10	1/8-1/2	0.435	5.0	1.8	HKS-4 / HKS-5	\$80
2S70MLF2	Bass / Walleye	PS70MLF2	7'	ML	FAST	2	4-10	1/8-1/2	0.485	4.5	1.9	HKS-4 / HKS-5	\$95
2S76MLF	Bass / Walleye	PS76MLF	7'6"	ML	FAST	1	4-10	1/8-1/2	0.450	4.5	2.1	HKS-5	\$85
2S76MLF2	Bass / Walleye	PS76MLF2	7'6"	ML	FAST	2	4-10	1/8-1/2	0.550	4.5	2.2	HKS-5	\$100
2S56MF	Bass / Walleye	PS56MF	5'6"	M	FAST	1	6-12	1/4-5/8	0.440	5.5	1.1	HKS-1	\$70
2S60MF	Bass / Walleye	PS60MF	6'	M	FAST	1	6-12	1/4-5/8	0.465	5.0	1.4	HKS-3	\$75
2S60MF2	Bass / Walleye / Pike	PS60MF2	6'	M	FAST	2	6-12	1/4-5/8	0.475	4.5	1.5	HKS-3	\$90
2S66MF	Bass / Walleye / Pike	PS66MF	6'6"	M	FAST	1	6-12	1/4-5/8	0.495	5.0	1.6	HKS-4	\$80
2S66MF2	Bass / Walleye / Pike	PS66MF2	6'6"	M	FAST	2	6-12	1/4-5/8	0.530	4.5	1.8	HKS-4	\$95
2S70MF	Bass / Walleye / Pike	PS70MF	7'	M	FAST	1	6-12	1/4-5/8	0.505	5.0	1.8	HKS-5	\$85
2S70MF2	Bass / Walleye / Pike	PS70MF2	7'	M	FAST	2	6-12	1/4-5/8	0.555	4.5	2.0	HKS-5	\$100
2S76MF	Bass / Walleye / Pike	PS76MF	7'6"	M	FAST	1	6-12	1/4-5/8	0.520	4.5	2.2	HKS-6	\$90
2S76MF2	Bass / Walleye / Pike	PS76MF2	7'6"	M	FAST	2	6-12	1/4-5/8	0.575	4.5	2.4	HKS-6	\$105
2S60MHF	Bass / Pike / Saltwater	PS60MHF	6'	MH	FAST	1	8-14	3/8-3/4	0.475	6.0	1.7	HKS-4	\$80
2S66MHF	Bass / Pike / Saltwater	PS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	6.0	1.9	HKS-5	\$85
2S66MHF2	Bass / Pike / Saltwater	PS66MHF2	6'6"	MH	FAST	2	8-17	1/2-1	0.540	5.0	2.1	HKS-5	\$100
2S70MHF	Bass / Pike / Saltwater	PS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.520	6.0	2.2	HKS-5	\$90
2S70HF	Bass / Pike / Saltwater	PS70HF	7'	H	FAST	1	10-20	1/2-1-1/2	0.540	6.0	2.9	HKS-6	\$95
2S70HF2	Bass / Pike / Saltwater	PS70HF2	7'	H	FAST	2	10-20	1/2-1-1/2	0.570	5.0	3.1	HKS-6	\$110
2S70XHF	Musky / Pike / Saltwater	PS70XHF	7'	XH	FAST	1	12-25	3/4-2	0.580	7.0	3.3	HKS-6	\$105

SC^{II} GRAPHITE CASTING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2C70MLF	Bass / Walleye	PC70MLF	7'	ML	FAST	1	8-14	3/16-5/8	0.450	5.5	2.1	HKC-3	\$85
2C56MF	Bass	PC56MF	5'6"	M	FAST	1	8-14	1/4-5/8	0.450	5.5	1.3	HKC-1	\$75
2C60MF	Bass / Walleye / Pike	PC60MF	6'	M	FAST	1	10-17	1/4-3/4	0.480	5.5	1.6	HKC-2	\$80
2C66MF	Bass / Walleye / Pike	PC66MF	6'6"	M	FAST	1	10-17	1/4-3/4	0.510	6.0	2.0	HKC-3	\$85
2C66MF2	Bass / Walleye / Pike	PC66MF2	6'6"	M	FAST	2	10-17	1/4-3/4	0.535	4.5	1.9	HKC-3	\$100
2C66MM	Bass / Walleye - Crankbait	PC66MM	6'6"	M	MODERATE	1	8-14	1/4-5/8	0.420	5.0	1.4	HKC-3	\$80
2C70MF	Bass / Walleye / Pike	PC70MF	7'	M	FAST	1	10-17	1/4-3/4	0.520	6.0	2.2	HKC-3	\$90
2C70MM	Bass / Walleye - Crankbait	PC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.430	5.0	1.5	HKC-3	\$85
2C60MHF	Bass / Pike / Saltwater	PC60MHF	6'	MH	FAST	1	10-20	3/8-1	0.485	6.0	1.8	HKC-2	\$85
2C66MHF	Bass / Pike / Saltwater	PC66MHF	6'6"	MH	FAST	1	10-20	3/8-1	0.540	6.5	2.2	HKC-3	\$90
2C66MHF2	Bass / Pike / Saltwater	PC66MHF2	6'6"	MH	FAST	2	10-20	3/8-1	0.565	5.5	2.4	HKC-3	\$105
2C70MHF	Bass / Pike / Saltwater	PC70MHF	7'	MH	FAST	1	10-20	3/8-1	0.555	6.5	2.7	HKC-3	\$95
2C70MHM	Bass - Crankbait	PC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.460	5.5	2.3	HKC-3	\$90
2C70HF	Bass / Pike / Saltwater	PC70HF	7'	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.3	HKC-4	\$100
2C70HF2	Bass / Pike / Saltwater	PC70HF2	7'	H	FAST	2	12-25	1/2-1 1/2	0.645	7.0	3.2	HKC-4	\$115

SC^{II} GRAPHITE MUSKY & SALTWATER BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2M70MHF	Musky - All Purpose / SW	PM70MHF	7'	MH	FAST	1	30-65	3/4-3	0.670	8.5	3.8	HKC-7	\$115
2M70MHF2	Musky - All Purpose / SW	PM70MHF2	7'	MH	FAST	2	30-65	3/4-3	0.600	8.0	3.7	HKC-7	\$130
2M76MHF	Musky - All Purpose / SW	PM76MHF	7'6"	MH	FAST	1	30-65	3/4-3	0.715	7.0	5.4	HKC-7 / HKC-8	\$130
2M80MHF	Musky - All Purpose / SW	PM80MHF	8'	MH	FAST	1	30-65	3/4-3	0.735	7.5	5.8	HKC-8	\$140
2M86MHF	Musky - All Purpose / SW	PM86MHF	8'6"	MH	FAST	1	30-65	3/4-3	0.765	7.0	6.6	HKC-8	\$145
2M90MHF2	Musky - All Purpose / SW	PM90MHF2	9'	MH	FAST	2	30-65	3/4-3	0.655	7.0	8.6	HKC-8	\$180
2M70HF	Musky - Jerkbait / SW	PM70HF	7'	H	FAST	1	40-80	2-6	0.665	8.5	4.7	HKC-7	\$120
2M70HF2	Musky - Jerkbait / SW	PM70HF2	7'	H	FAST	2	40-80	2-6	0.655	11.0	4.3	HKC-7	\$135
2M76HF	Musky - Jerkbait / SW	PM76HF	7'6"	H	FAST	1	40-80	2-6	0.695	9.0	5.6	HKC-7 / HKC-8	\$135
2M80HF	Musky - Large bucktail / SW	PM80HF	8'	H	FAST	1	40-80	3-8	0.705	9.0	6.2	HKC-8	\$140
2M86HF	Musky - Large bucktail / SW	PM86HF	8'6"	H	FAST	1	40-80	3-8	0.720	9.0	7.0	HKC-8	\$150
2M90HF2	Musky - Large bucktail / SW	PM90HF2	9'	H	FAST	2	40-80	3-8	0.675	8.5	9.0	HKC-8	\$185
2M70XHF	Musky - Hvy. Jerkbait / SW	PM70XHF	7'	XH	FAST	1	50-100	3-8	0.685	9.0	4.8	HKC-7	\$125
2M80XHF	Musky - Hvy. Jerkbait / SW	PM80XHF	8'	XH	FAST	1	50-100	6-12	0.710	9.0	6.2	HKC-8	\$145
2M86XHF	Musky - Hvy. Jerkbait / SW	PM86XHF	8'6"	XH	FAST	1	50-100	6-12	0.720	9.5	6.8	HKC-8	\$155
2M90XHF2	Musky - Hvy. Jerkbait / SW	PM90XHF2	9'	XH	FAST	2	50-100	6-12	0.705	9.0	9.8	HKC-8	\$195

SC^{IV} GRAPHITE / FRS SALTWATER & FRESHWATER TRAVEL BLANKS (BELIZE BLUE METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
* 4T70MLF3	Spinning / Casting	LTS70MLF3	7'	ML	FAST	3	6-12	1/8-1/2	0.495	5.0	1.9	HKS-4 / HKC-2	\$210
* 4T70MF3	Spinning / Casting	LTS / LTC70MF3	7'	M	FAST	3	8-17	3/8-3/4	0.545	5.0	2.3	HKS-5 / HKC-3	\$220
* 4T76MHF3	Spinning / Casting	LTS / LTC76MHF3	7'6"	MH	FAST	3	10-20	1/2-1 1/4	0.580	5.5	3.3	HKS-6 / HKC-4	\$250
* 4T76HF3	Spinning / Casting	LTS / LTC76HF3	7'6"	H	FAST	3	15-30	3/4-3	0.630	6.0	4.1	HKS-6 / HKC-4	\$260
* 4T76XHF3	Spinning / Casting	LTC76XHF3	7'6"	XH	FAST	3	17-40	1-3	0.655	6.5	4.6	HKS-6 / HKC-4	\$270

* New for 2016